



Besteman Techno Support

LIQUID SPRAYING BEGINS WITH ... BTS RESONATOR PRODUCTS

Can be used for:

Spaces and Air Cooker Disinfect, Disinfect, De-dust, Moisten, Remove static charge / energy, Aromatic oils atomization.

AIR DISINFECTION AND WATER MIST DEVICES.

RESONATOR MIST DEVICE LVM H1 MINI

art nr. 4505-1.5

FOR STORAGE CELLS LESS THAN 10 METERS

COMPRESSOR NEEDED MINIMUM 100 LTR / MIN

Maximum 3 liters / hour at 6 bar.

Can also be sprayed vertically upwards with this Resonator device!



RESONATOR MIST DEVICE LVM H1

art nr. 5003116H1

FOR STORAGE CELLS LESS THAN 20 METERS

COMPRESSOR NEEDED MINIMUM 100 LTR / MIN

TANK 10 LITERS 1850 or 2650 rpm

Maximum 2.5 to 4 liters / hour per nozzle

Fn 1500 rpm.



RESONATOR MIST DEVICE LVM H1 WITH AIR DIRECTING VANES

art nr. 5003116H1

FOR STORAGE CELLS OR GREENHOUSES LONGER THAN 20 METERS

COMPRESSOR NEEDED MINIMUM 100 LTR / MIN

COMPRESSED AIR EFFECTIVELY NEEDED.

EXCLUSIVE ROTARY MOTOR

1850 or 2650 rpm

TANK 10 LITERS

Maximum 4 liters / hour.



**RESONATOR MIST DEVICE RLVM H2 WITH AIR DIRECTING VANES
AND TO ATOMIZERS
FOR STORING SPACES OR GREENHOUSES LONGER THAN 20 METERS.
art nr. 5003116H2**




COMPRESSOR NEEDED (per unit) MINIMUM 140 LTR / MIN
COMPRESSED AIR EFFECTIVELY NEEDED.
EXCLUSIVE ROTARY MOTOR
TANK 10 LITERS
Maximum up to 8 liters / hour.

**RESONATOR MIST DEVICE RLVM H3 WITH AIR DIRECTING VANES
AND TO ATOMIZERS
FOR STORING SPACES OR GREENHOUSES LONGER THAN 20 METERS
art nr. 5003116H3**

COMPRESSOR NEEDED (per unit) MINIMUM 200 LTR / MIN
COMPRESSED AIR EFFECTIVELY NEEDED.
EXCLUSIVE ROTARY MOTOR
TANK 10 LITERS
Maximum up to 18 liters / hour.

**RLVM H5 AIR DIRECTING VANES AND FIVE ATOMIZERS
FOR FAST MISTING OF LIQUIDS.
Also excellent for mobile wetting (dedusting)
of rooms and products. Adjustable for nebulizing
with 2, 3 or 5 sprayers.
art nr 5003116H5**



178/5000
COMPRESSOR NEEDED (per unit) MINIMUM 320 LTR/MINUTE
COMPRESSED AIR EFFECTIVELY NEEDED.
EXCLUSIVE ROTARY MOTOR
TANK 15 LITERS
From 10 to a maximum of 20 to 25 liters / hour.

POWERMISTER AIR DIRECTING VANES AND FIVE x 2 ATOMIZERS FOR FAST MISTING OF LIQUIDS.

Also excellent for mobile disinfection in food and Chicken sheds , wetting (dedusting) of rooms and products. Adjustable for nebulizing with 10 nozzles.

art no. 600100 H5x2

COMPRESSOR NEEDED (per unit) MINIMUM 640 LTR / MINUTE

COMPRESSED AIR EFFECTIVELY NEEDED.

EXCLUSIVE ROTARY MOTOR

TANK 45 LITERS

40 LITERS / HOUR



POWERMISTER AIR DIRECTING VANES AND FIVE x 1 ATOMIZERS FOR FAST MISTING OF LIQUIDS.

Also excellent for mobile disinfection in food and Chicken sheds , wetting (dedusting) of rooms and products. Adjustable for nebulizing with 5 nozzles.

art no. 600100 H5x1

COMPRESSOR NEEDED (per unit) MINIMUM 320 LTR / MIN

COMPRESSED AIR EFFECTIVELY NEEDED.

EXCLUSIVE ROTARY MOTOR

From 10 to a maximum of 20 to 25 liters / hour.



**ULTRASONIC RLVM H1 (with one nozzle) art. 5001 / H1
STORAGE CELLS LARGE**

COMPRESSOR NEEDED (EFFECTIVE 70 LTR / MIN

0 TO 5 BAR COMPRESSED AIR CONNECTION

Maximum up to 1.6 liters / hour ultrasonic mist 0 to 3 microns

